

according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

DERMATEC ALCO GEL

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Hands disinfectant

Professional use

Use by consumers (private households)

**1.3. Details of the supplier of the safety data sheet**

Company name:	Merisa AG	
	Cleaning Technologies	
Street:	Schulhausstrasse 4	
Place:	CH-6052 Hergiswil NW	
Telephone:	041 630 48 58	Telefax: 041 630 48 57
e-mail:	info@merisa.ch	
Contact person:	Iwan Meyer	Telephone: 041 630 48 58
e-mail:	iwan.meyer@merisa.ch	
Internet:	www.merisa.ch	
Responsible Department:	BU Chemicals	

**1.4. Emergency telephone**

**number:**

Im Notfall +41 44 251 51 51 (Tel. 145) (Toxikologisches Zentrum)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 2

Hazard Statements:

Highly flammable liquid and vapour.

**2.2. Label elements**

**Regulation (EC) No. 1272/2008**

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H225 Highly flammable liquid and vapour.

**Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P370+P378 In case of fire: Use CO<sub>2</sub>, extinguishing powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to industrial incineration plant.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 2 of 10

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64-17-5	ethanol			50 - <= 100 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			
67-63-0	propan-2-ol			5 - < 10 %
	200-661-7	603-117-00-0		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

In all cases of doubt, or when symptoms persist, seek medical advice. If medical advice is needed, have product container or label at hand.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

No known symptoms to date. In all cases of doubt, or when symptoms persist, seek medical advice.

**4.3. Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.  
Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray. alcohol resistant foam.

**5.2. Special hazards arising from the substance or mixture**

Combustible. Vapours may form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

**SECTION 6: Accidental release measures**

according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 3 of 10

**6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition.  
Provide adequate ventilation. Do not breathe gas/vapour/aerosol.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, universal binding agents). After cleaning, flush away traces with water. Treat the recovered material as prescribed in the section on waste disposal.  
Dispose according to legislation.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking.  
Keep locked up and out of reach of children.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.  
Vapours may form explosive mixtures with air.

**Further information on handling**

No special handling instructions are necessary.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep/Store only in original container. Keep container tightly closed. Protect against direct sunlight. Store in a cool dry place. Recommended storage temperature: at room temperature. Store in a place accessible by authorized persons only.

**Hints on joint storage**

Keep away from food, drink and animal feedingstuffs.  
Do not store together with: Oxidizing agents.

**Further information on storage conditions**

Minimum storage temperature: 5°C  
Maximum storage temperature: 30°C

**Storage class (TRGS 510):**

3 (Flammable liquids)

**7.3. Specific end use(s)**

Notice the directions for use on the label.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 4 of 10

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
64-17-5	ethanol			
Worker DNEL, acute		inhalation	local	1900 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	343 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	950 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	950 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	114 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day
67-63-0	propan-2-ol			
Worker DNEL, long-term		dermal	systemic	888 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	500 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	89 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	26 mg/kg bw/day
56-81-5	1,2,3-propanetriol			
Consumer DNEL, long-term		inhalation	local	33 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	229 mg/kg bw/day

according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 5 of 10

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
64-17-5	ethanol	
Freshwater		0.96 mg/l
Marine water		0.79 mg/l
Freshwater sediment		3.6 mg/kg
Micro-organisms in sewage treatment plants (STP)		580 mg/l
67-63-0	propan-2-ol	
Freshwater		140.9 mg/l
Marine water		140.9 mg/l
Freshwater sediment		552 mg/kg
Marine sediment		552 mg/kg
Micro-organisms in sewage treatment plants (STP)		2251 mg/l
Soil		28 mg/kg
56-81-5	1,2,3-propanetriol	
Freshwater		0.885 mg/l
Freshwater (intermittent releases)		8.85 mg/l
Marine water		0.0885 mg/l
Freshwater sediment		3.3 mg/kg
Marine sediment		0.330 mg/kg
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
Soil		0.141 mg/kg

**8.2. Exposure controls**



**Protective and hygiene measures**

Avoid contact with eyes.

**Eye/face protection**

If splashes are possible, wear:  
Safety glasses with side protection according to EN 166.

**Respiratory protection**

Usually no personal respiratory protection necessary.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: Gel  
 Colour: colourless  
 Odour: characteristic  
 pH-Value: not applicable

**Changes in the physical state**

Melting point: not determined

according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 6 of 10

Initial boiling point and boiling range:	78 °C
Flash point:	15 °C
<b>Flammability</b>	
Solid:	not determined
Gas:	not determined
Lower explosion limits:	3.5
Upper explosion limits:	15
Vapour pressure: (at 20 °C)	59 hPa
Density:	0.855 - 0.875 g/cm <sup>3</sup>
Water solubility:	completely miscible
Partition coefficient:	not determined
Vapour density:	not determined
Evaporation rate:	not determined

**9.2. Other information**

none

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Heat, flames and sparks.

**10.5. Incompatible materials**

Strong acids and strong oxidants.

**10.6. Hazardous decomposition products**

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 7 of 10

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol				
	oral	LD50 mg/kg 6200	Rat	IUCLID	
	inhalation (4 h) vapour	LC50 95,6 mg/l	Rat	RTECS	
67-63-0	propan-2-ol				
	oral	LD50 mg/kg 5840			
	dermal	LD50 mg/kg 13900			
	inhalation (4 h) vapour	LC50 > 25 mg/l			

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

Classification according to Regulation (EC) No 1272/2008 [CLP] Calculation method. The product has not been tested.

**SECTION 12: Ecological information**

**12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-17-5	ethanol					
	Acute fish toxicity	LC50 mg/l > 10000	96 h	Leuciscus idus (golden orfe)		
	Acute crustacea toxicity	EC50 14221 mg/l 9268 -	48 h	Daphnia magna	IUCLID	
67-63-0	propan-2-ol					
	Acute fish toxicity	LC50 mg/l 9640	96 h			

**12.2. Persistence and degradability**

The product has not been tested.

according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 8 of 10

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
67-63-0	propan-2-ol				
	Biodegradation		> 70%	10	
	Easily biodegradable (concerning to the criteria of the OECD)				

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,31
67-63-0	propan-2-ol	0.05

**12.4. Mobility in soil**

If product enters soil, it will be mobile and may contaminate groundwater.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

There are no data available on the mixture itself.

**Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP] Calculation method. The product has not been tested.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

**List of Wastes Code - used product**

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 1993
<b>14.2. UN proper shipping name:</b>	FLAMMABLE LIQUID, N.O.S. (ethanol / propan-2-ol)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3



according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 9 of 10



Classification code: F1  
Special Provisions: 274 601 640C  
Limited quantity: 1 L  
Excepted quantity: E2  
Transport category: 2  
Hazard No: 33  
Tunnel restriction code: D/E

**Inland waterways transport (ADN)**

**14.1. UN number:** UN 1993  
**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S.  
(ethanol / propan-2-ol)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



Classification code: F1  
Special Provisions: 274 601 640C  
Limited quantity: 1 L  
Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number:** UN 1993  
**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S.  
(ethanol / propan-2-ol)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



Special Provisions: 274  
Limited quantity: 1 L  
Excepted quantity: E2  
EmS: F-E, S-E

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** UN 1993  
**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S.  
(ethanol / propan-2-ol)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



according to Regulation (EC) No 1907/2006

**DERMATEC ALCO GEL**

Revision date: 30.11.2020

Product number: 5.799.310

Page 10 of 10

Special Provisions:	A3	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:		353
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		364
IATA-max. quantity - Cargo:		60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water  
Biocide registry number: CHZN6036

**Additional information**

Water hazard class (CH): Class B (Self-classification)

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 4,5,7.

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data

**Relevant H and EUH statements (number and full text)**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

**Further Information**

For industrial purposes only. Notice the directions for use on the label. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*